

Certificate of Analysis

Fetuin O-Glycan Library				
Cat. #: CLIBO-FETUIN-01 Size: Released from ~30 μg of fetuin glycoprotein		Batch #: B722-01 Expiry Date: 11 Jul 2027		
Description:	A mixture of O-glycan standards from fetuin glycoprotein.			
Source:	The glycans in this product are released from a fetuin standard that is purified from fetal calf serum. Fetuin is a glycoprotein present in the circulation which is synthesized by hepatocytes. Fetuin exists in a variety of glycoforms containing bi-, tri-, and tetra-antennary oligosaccharides with variable sialylation.			
Form:	Dry. Lyophilised powder.			
Storage:	Refrigerate (-20°C) both before and after dissolving. This 5 years as supplied.	erate (-20°C) both before and after dissolving. This product is stable for at least s as supplied.		
Shipping:	The product is shipped at ambient temperature.			
Handling:	Once dissolved avoid repeated thawing and refreezing, st temperature or above, exposure to light and long term exp cause glycan desialylation.	C C		
Safety:	This product is non-hazardous and has been purified from be free of all hazardous material including pathogenic biol			

For research use only. Not for human or drug use

🐗 Ludger




Figure 1: HILIC HPLC Profile of 2AB Labelled Fetuin O-Glycans (Cat. No. CLIBO-FETUIN-01, Batch No. B722-01).

GU value	Sialylation	Name (structure)	Relative amount
			(%)
1.73	Core 1	Galβ1-3GalNAc	1.18
2.31	mono-sialylated	'peeled glycan'*, Neu5Acα2-3Gal	19.35
3.00	mono-sialylated	Neu5Acα2-3Galβ1-3GalNAc	28.25
3.40	mono-sialylated	Neu5Acα2-6(Galβ1-3)GalNAc	1.16
4.84	di-sialylated	Neu5Acα2-3Galβ1-3(Neu5Acα2-6)GalNAc	8.30
6.00	di-sialylated	Neu5Acα2-3Galβ1-3(Neu5Acα2-3Galβ1-	1.05
		4GlcNAcβ1-6)GalNAc	

Table 1: GU values and structural names of the main peaks from fetuin O-glycan library HPLC (Cat. No. CLIBO-FETUIN-01, Batch No. B722-01)

* Loss of terminal GalNAc during hydrazinolysis






Figure 2: Symbols used to depict glycan structures.